



*PLANET*  
*series*

 **VANGUARD**  
*Passion of lighting*






























# Key to Product Finishes

AB	Antique Brass	MC	Multi Coloured
AC	Antique Chrome	ME	Marble Effect
ACP	Antique Copper	MK	Mink
ACR	Antique Cream	MR	Mirrored Glass
ACY	Asfour Crystal	N	Nickel
AG	Alabaster Glass	NAT	Natural
AGD	Antique Gold	NB	Natural Brass
AI	Aged Iron	NC	Natural Chrome
AL	Aluminium	OP	Opal White Glass
AN	Antique Nickel	P	Pewter
AS	Antique Silver	PB	Polished Brass
AY	Acrylic	PBR	Pale Brass
B	Brass	PC	Polished Chrome
BC	Black Chrome	PCP	Petrol Copper
BE	Beige	PN	Polished Nickel
BG	Bevelled Edge Glass	PP	Purple
BK	Black	PT	Plaster
BL	Blue	PU	Putty
BN	Brown	QG	Quartz Glass
BR	Bronze	RD	Red
CG	Champagne Col. Glass	RDG	Reeded Glass
CH	Chocolate	RE	Hand Cast Resin
CM	Ceramic	RU	Rust
CP	Copper	SB	Satin Brass
CR	Cream	SC	Satin Chrome
CY	Crystal Glass	SCG	Scavo Glass
EG	Etched Glass	SCP	Satin Copper
FE	Metal	SGD	Soft Gold
FG	Frosted Glass	SGR	Shamrock Green
FR	French Gold	SGL	Seeded Glass
GB	Gloss Blue	SM	Smoked Glass
GC	Gloss Cream	SS	Stainless Steel
GD	Gold	SV	Silver
GL	Glass	TGL	Textured Glass
GP	Gloss Pink	TP	Taupe
GR	Green	VG	Verdigris
GW	Gloss White	WD	Wood
GY	Grey	WG	White Glass
IVY	Ivory	WH	White
LW	Light Wood	WM	White Marble Effect
MBR	Mottled Bronze	YW	Yellow

**Note:** hand applied finishes can vary from batch to batch

**PLANET series**  
**2018/19**

# Key to Product Abbreviations

-  Double Insulated
-  Earthed
-  Dual Mount
-  F Marked
-  Not suitable for mounting on flammable surfaces
-  Foot Switched
-  In Line Rocker Switched
-  Pull Cord Switched
-  Push Bar Switched
-  Rocker Switched
-  Shaver Socket
-  Toggled Switched
-  Push Button Switched
-  In Line Dimmer Switched
-  Mouse Dimmer Switched
-  Inline Foot Dimmer Switched
-  Rotary Dimmer Switched
-  Height Adjustable at Point of Installation
- LED** Light Emitting Diode
-  Part C Compliant
-  Part E Compliant
-  Part 21 Compliant
-  Fire Rated Time
-  IP20
-  IP21
-  IP43
-  IP44
-  IP64
-  IP65
-  Touch Lamp

# Introduction

## VANGUARD

With an extensive experience and a commitment to innovation, VANGUARD aims to become a major manufacturer in China of LED lighting.

As one of qualified OEM&ODM factory of several famous brand from western countries now, VANGUARD is always designing and manufacturing excellent LED lighting products. At the same time, as a R&D oriented factory, VANGUARD is always focusing on innovative original design and technology, manufacturing and supplying high quality LED lighting products to lighting projects all over the world.

We pursue excellent LED lighting with design elegance in technology, fashion and environment friendly. VANGUARD persisted on combining LED technology and wonderful designs perfectly to create a brand new frontier to lighting industry.

### KEY advantages

- Our team has more than 10 years professional export service for Europe and USA, well known of market demand.
- With endless leading designs for Europe and USA market. Professional Purchasing + Quality + Product cost control, assurance of quality and cost for mass goods.
- The leading OEM&ODM whole solution supplier for Europe and USA main customers.





## *PLANET series*

### Pendant Lamp

- P5. PP9015-3
- P5. PP9015-5
- P5. PP9015-6
- P5. PP9015-6+6
- P7. PP9015-4+4
- P7. PP9015-12
- P7. PP9015-15+14
- P7. PP9015-20+17
- P9. PP9015-18
- P9. PP9015-33
- P9. PP9015-6R

### Ceiling Lamp

- P11. PC9015-7
- P11. PC9015-9

### Wall Lamp

- P13. PW9015-1A
- P13. PW9015-1B

### Table Lamp

- P15. PT9015-1+1

### Floor Lamp


- P15. PL9015-2+1
- P15. PL9015-9






PP9015-3 CH WH BK

Planet 3lts Pendant  
L520\*W120\*H1200mm  
3 x 8W max




PP9015-5 CH WH BK

Planet 5lts Pendant  
L830\*W120\*H1400mm  
5 x 8W max




PP9015-6 CH WH BK

Planet 6lts Pendant  
L650\*W320\*H1000mm  
6 x 8W max



PP9015-6+6 CH WH BK

Planet 12lts Pendant  
L860\*W240\*H1400mm  
6 x 8W + 6x5W max



## PLANET Pendant lamp

Special edition. Pendant lamp.  
Acrylic and Aluminum structure. Acrylic diffuser  
with granule .

### •Feeding

AC220-240V 50/60Hz  
AC100-277V 50/60Hz

### •Certifications of main components












PP9015-4+4 CH WH BK

Planet 8lts Pendant

D530\*H1400mm

4 x 8W + 4x5W max

   **LED**






PP9015-12 CH WH BK

Planet 12lts Pendant

D600\*H1700mm

12 x 5W max

   **LED**






PP9015-15+14 CH WH BK

Planet 29lts Pendant

D700\*H2100mm

15 x 8W + 14x5W max

   **LED**






PP9015-20+17 CH WH BK

Planet 37lts Pendant

D800\*H2500mm

20 x 8W + 17x5W max

   **LED**

## PLANET Pendant lamp

Special edition.Pendant lamp.

Acrylic and Aluminum structure.Acrylic diffuser  
with granule .

### •Feeding

AC220-240V 50/60Hz

AC100-277V 50/60Hz

### •Certifications of main components

CE RoHS   









PP9015-33 CH WH BK

Planet 33lts Pendant  
D650\*H1000mm  
33 x 5W max



PP9015-18 CH WH BK

Planet 18lts Pendant  
D450\*H1000mm  
18 x 5W max



## PLANET Pendant lamp

Special edition. Pendant lamp.  
Acrylic and Aluminum structure. Acrylic diffuser  
with granule .

### •Feeding


AC220-240V 50/60Hz  
AC100-277V 50/60Hz

### •Certifications of main components



PP9015-6R CH WH BK

Planet 6lts Pendant  
D580\*H1200mm  
6 x 5W max










PC9015-7 CH WH BK

Planet 7lts Ceiling  
D590\*H230mm  
7 x 5W max



PC9015-9 CH WH BK

Planet 9lts Ceiling  
D690\*H230mm  
9 x 5W max



## PLANET Ceiling lamp

Special edition.Ceiling lamp.  
Acrylic and Aluminum structure.Acrylic diffuser  
with granule .

### •Feeding

AC220-240V 50/60Hz  
AC100-277V 50/60Hz

### •Certifications of main components

CE RoHS   







PW9015-1A CH WH BK

Planet II Wall Lamp  
 L180\*W100\*H160mm  
 1 x 5W max



PW9015-1B CH WH BK

Planet II Wall Lamp  
 L225\*W130\*H170mm  
 1 x 8W max



## PLANET Wall lamp

Special edition. Wall lamp.  
 Acrylic and Aluminum structure. Acrylic diffuser  
 with granule .

### •Feeding

AC220-240V 50/60Hz  
 AC100-277V 50/60Hz

### •Certifications of main components








PT9015-1+1 CH WH BK

Planet 2lts Table Lamp

L350\*W180\*H390mm

1x8W + 1 x 5W max



PL9015-2+1 CH WH BK

Planet 3lts Floor Lamp

D300\*H1535mm

2 x 8W + 1x5W max




PL9015-9 CH WH BK

Planet 9lts Floor Lamp

D350\*H1520mm

9x5W max



## PLANET Table/Floor lamp

Special edition. Table/Floor lamp.  
Acrylic and Aluminum structure. Acrylic diffuser  
with granule .

### •Feeding

AC220-240V 50/60Hz

AC100-277V 50/60Hz

### •Certifications of main components





# PLANET series

VANGUARD products are designed and manufactured to keep customers satisfied, consequently please note the following:

1. Due to the quality of our finishes, we recommend using a soft dry polish cloth for cleaning, avoiding the use of special cleaning products that could damage the finish.
2. VANGUARD reserves the right to change or modify any product illustrated in this catalogue in order to make the deemed improvements.
3. The height of our pendant lamps are adjustable.
4. All the dimensions are in millimeters.



The CE applied mark certifies that the lighting fixture or components are in compliance with the standards required from the EN 60598-1 European regulations.

## RoHS

Product is in compliance with the RoHS directive (Restriction of use of Hazardous Substances).



The lighting fixture can be installed on normal flammable surfaces.



Unit realized in safety class I and provide with earth wire.



Unit realized in safety class II with double and reinforced insulation and hence not provided with earth wire.


## IP20


Protection index against solids or liquids entrance.





**Vanguard Lighting Co.,Ltd**

 +86 135 9070 4744

 info@vanguardlights.com

 angel@vanguardlights.com

 www.vanguardlights.com

 #30,3rd Kanglong Road,Henglan Zhongshan,Guangdong,China